























SHARE **TOTAL** One-Stop Tools Station **PRODUCTS LIST** **SUPER SELECT**

PMCA04		Cap	Cap	PCS	R63,17
PMTS10.XL		T-shirt	Size:XL Material:All-polyester functional fabric	PCS	R238,16
PMTS10.XXL		T-shirt	Size:XXL Material:All-polyester functional fabric	PCS	R240,32
TJCT2282.L		Jackets	Size : L Fabric: 228 taslan with mesh lining Waterproofing index: 5000mmH ₂ O Air permeability: 3000g/m ² /24hr,good breathability Zipper closure,warm and windproof Roomy pockets Packed by poly bag	PCS	R481,53
TJCT2282.XL		Jackets	Size : XL Fabric: 228 taslan with mesh lining Waterproofing index: 5000mmH ₂ O Air permeability: 3000g/m ² /24Hr,good breathability Zipper closure,warm and windproof Roomy pockets Packed by Poly bag	PCS	R481,53
THTRC031.XL		Rain coat	Material : PVC-polyester, 100% New PVC Length : 120cm Thickness : 0.33mm Size:XL Waterproof, breathe freely Two down pockets with flap With reflective strip at back Packed by poly bag	PCS	R252,29
THTRC031.XXL		Rain coat	Material : PVC-polyester, 100% New PVC Length : 120cm Thickness : 0.33mm Size:XXL Waterproof, breathe freely Two down pockets with flap With reflective strip at back Packed by poly bag	PCS	R252,29
TTVT1601		Tool vest	Size: 42x60x3cm Adjustable shoulder straps and waist size Air mesh material Max load : 3kg Multiple use compartments for all storage needs With 12 pockets and 1 pcs hammer holder Packed by color box	PCS	R324,92
THT261325		Tools bag	Size: 13" Max load: 12kg L*W*H:33*21*18cm Rigid frame for easy opening and access external pockets for additional storage capacity With 6 pockets outside Packed by paper card	PCS	R116,80
THT16161		Tools bag	Size:16" Max load : 20kg Rigid frame for easy opening and access Reinforced plastic base for durability Internal pockets for additional storage capacity Adjustable shoulder strap included Packed by paper card	PCS	R443,55












THBP0201	<p>450x340x170mm 18" x 13.6" x 6.8" Max Load 8kg</p>	Tools backpack	<p>Size: L34cm* W17cm* H45cm With 1pcs handle bag inside Max load: 8kg Material: polyester oxford 600D Rigid frame for easy opening and access Internal External pockets for additional storage capacity Packed by paper card</p>	PCS	R471,68
TCLU12071	<p>S12 0.65A</p>	S12 Lithium-ion battery charger	<p>Charge volts: 220-240V~50/60Hz Output voltage: 12V Output current: 0.65A Packed by color box</p>	PCS	R131,61
TBLU12152	<p>S12 1.5Ah</p>	Lithium-ion battery pack	<p>Volts: 12V Lithium-Ion 1.5Ah battery One battery fits all S12 multiple tools Packed by color box</p>	PCS	R308,51
TIDU1232	<p>S12 1.5Ah</p>	Lithium-Ion impact drill	<p>Voltage: 12V No-load speed: 0-400/0-1500/min Max. impact rate: 22500/min Max torque: 20NM Chuck capacity: 0.8-10mm Torque settings: 18+1+1 Mechanical 2-speed gear Charge volts: 220V-240V~50/60Hz Integrated work light With 2pcs battery pack With 1pcs 2Hr charger With 1pcs Cr-V 65mm bits With 3pcs masonry drill bits Packed by plastic box</p>	PCS	R1 059,93
TIRU1201	<p>S12 1.5Ah</p>	Lithium-Ion impact driver	<p>Drill voltage: 12V No-load speed: 0-2000RPM Rated impact: 0-2800IPM Max torque force: 100NM Hex.collet: 1/4"(6.35mm) Charge volts: 220V-240V~50/60Hz Integrated work light With 2pcs battery pack With 1pcs 2Hr charger With 1pcs Cr-V 65mm bits Packed by plastic box</p>	PCS	R1 183,57
TFBU20011	<p>P20S 2.0Ah</p>	Lithium-Ion battery pack	<p>Volts: 20V Lithium-Ion 2.0Ah battery LED battery power indicator One battery fits all P20S multiple tools Packed by color box</p>	PCS	R411,51
TFBU2002	<p>P20S 4.0Ah</p>	Lithium-ion battery pack	<p>Voltage: 20V Lithium-Ion 4.0Ah battery LED battery power indicator Suitable for 20V multiple tools Packed by color box</p>	PCS	R625,93
TFBU2053	<p>P20S 5.0Ah</p>	Lithium-ion battery pack	<p>Voltage: 20V Lithium-Ion 5.0Ah battery LED battery power indicator Suitable for P20S multiple tools Packed by color box</p>	PCS	R945,36
TFCLU2001	<p>P20S</p>	Fast intelligent charger	<p>Voltage: 20V Charge current: 2A Rated Input voltage: 220V-240V~50/60Hz Charges 20V 2.0Ah battery in 1Hr Charges 20V 4.0Ah battery in 2Hr Packed by color box</p>	PCS	#VALUE!
TFCLU20411	<p>P20S 4.0A</p>	P20S Lithium-ion battery charger	<p>Input voltage: 220-240V~50/60Hz Output voltage: 20V Output current: 4A Packed by color box</p>	PCS	R387,15
TFCLU2082	<p>P20S 8.0A</p>	P20S 2-port Lithium-ion battery charger	<p>Input voltage: 220-240V~50/60Hz Output voltage: 20V Output current: 4A+4A Accepts up to 2pcs P20S battery packs Dual active battery ports for individually charging Packed by color box</p>	PCS	R621,24












TIDU2002		Lithium-ion impact drill	Voltage:20V No-load speed:0-400/0-1500rpm Max impact rate:22500/min Max torque:45NM Chuck capacity:0.8-10mm Torque settings:18*1+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function With 2pcs 2.0Ah battery pack With 1pcs charger	PCS	R2 345,04
TIDL201452		Lithium-Ion impact drill	Voltage: 20V No-load speed: 0-400/0-1500rpm Max impact rate: 22500bpm Max torque: 45Nm Chuck capacity: 0.8-10mm Torque settings: 18*1+1 Mechanical 2-speed gear Spindle lock function Auto-lock keyless chuck Charge volts: 220-240V~50/60Hz Integrated work light LED battery power indicator Include: 2 Pcs 2.0Ah battery pack(TFBLU20011) 1 Pcs charger(TFCLU2001) 47 Pcs accessories 3 Pcs masonry drill bits Packed by plastic box	PCS	R1 526,28
TIDU20145		Lithium-ion impact drill	Voltage: 20V No-load speed: 0-400/0-1500rpm Max impact rate:22500/min Max torque:45NM Chuck capacity:0.8-10mm Torque settings:18*1+1 Mechanical 2-speed gear Charge volts:220-240V~50/60Hz Integrated work light LED battery power indicator With 2pcs 2.0Ah battery pack (TFBLU20011) With 1pcs charger (TFCLU2001) With 1pcs Cr-V 65mm bit With 3pcs masonry drill bits Packed by plastic box	PCS	Out of stock
TIRLU2002		Lithium-ion impact driver	Brushless Motor Voltage:20V Hex shank:6.35mm No-load speed:0-1300/0-2100/rpm Impcat rate:0-2000/0-3300/min Max torque:170NM With 2pcs 2.0Ah battery pack With 1pcs charger Charge volts:220V~240V~50/60Hz Integrated work light LED battery power indicator With 2pcs screwdriver bits With 3pcs nut setters Packed by canvas bag	PCS	Out of stock
TRHL1601		Lithium-Ion rotary hammer	Voltage:20V No-load speed:0-900/min Impact rate:0-5100bpm Single impact force:1.5J Max drilling capacity:Ø16 in concrete Integrated work light With 3pcs SDS-plus drills NO battery and charger included Packed by color box	PCS	R1 155,49
TRHU20228		Lithium-ion rotary hammer	Brushless Motor Voltage:20V No-load speed:0-1100rpm Impact rate:0-5000/min Single impact force:2.0J Max drilling capacity:Ø26 in concrete Integrated work light SDS plus chuck system With 3pcs drills and 1pcs chisels Battery and charger sold separately Packed by color box	PCS	R1 710,65
TIWU20010		Lithium-ion impact wrench	Brushless motor Voltage:20V Square drive:1/2" No-load speed:0-1300/0-2100rpm Impact rate:0-2000/0-3300bpm Max torque:300NM Integrated work light LED battery power indicator With 3pcs sockets(17 19 21mm) Battery and charger sold separately Packed by color box	PCS	R987,23
TCKL16015		Lithium-ion cordless 2 pcs combo kit	Voltage:20V With 1pcs lithium-ion Brushless impact drill(TIDU20608) With 1pcs brushless Lithium-ion angle grinder(TAGU201158) Lithium-ion brushless impact drill(TIDU20608): Brushless motor No-load speed:0-450/0-1900rpm Max impact rate:22500/min Max torque:60NM Chuck capacity:2-13mm Torque settings:23*1+1 Mechanical 2-speed gear Lithium-ion angle grinder(TAGU201158) : Brushless Motor No-load speed:3000/8500rpm Disc diameter:115mm Spindle thread:M14 Charge volts:220-240V~50/60Hz With 2pcs 4.0Ah battery pack (TFBLU2002) With 1pcs 4A charger (TFCLU20411E) With 1set abrasive metal cutting disc set Packed by canvas bag	SET	R4 446,92
TAGL2011587		Lithium-Ion angle grinder	Brushless motor Voltage: 20V No-load speed: 3000/8500rpm Disc diameter: 115mm Spindle thread: M14 Include: 1 Pcs 4.0Ah battery pack (TFBLU2002) 1 Pcs charger (TFCLU2001E) Charge volts: 220-240V~50/60Hz 1 Set abrasive metal cutting disc (10pcs) Packed by plastic box	PCS	R1 913,43












TAGU20158	 <p>P20S BL Motor 115mm Battery and charger sold separately</p>	Lithium-Ion angle grinder	Brushless Motor Voltage:20V No-load speed:3000/8500/min Disc diameter:115mm Spindle thread:M14 Battery and charger not included Packed by color box	PCS	R968,07
TAGU201582	 <p>P20S BL Motor 115mm x10PCS</p>	Lithium-Ion angle grinder	Brushless Motor Voltage:20V No-load speed:3000/8500/min Disc diameter:115mm Spindle thread:M14 20V Lithium-Ion 4.0Ah batteries Charge volts:220V-240V~50/60Hz With 2pcs battery pack With 1pcs charger With 1SET Abrasive metal cutting disc set Packed by canvas bag	PCS	R2 624,99
TROSU2001	 <p>P20S TOTAL Battery and charger NOT included</p>	Lithium-Ion random orbit sander	Voltage:20V No-load speed:10000/min Bottom size:125mm With 5pcs sand papers Battery and charger not included Packed by color box	PCS	R914,04
TAC73125101	 <p>125mm(5") 10PCS / SET Life Span:2-4 Efficiency:2</p>	Purple sanding disc	125mm P40x2 P60x2 P80x3 P120x3 Mixed Zirconia and High Quality Aluminium Oxide 10PCS/Set 8 holes Suitable for sanding wood, wall, paint, plastic, stone, metal and glass TROSU2001 & TF2031256 Double effective than red sand Packed by plastic bag	SET	R54,88
TSLI1851	 <p>P20S BL Motor Ø185mm Battery and charger sold separately</p>	Lithium-Ion circular saw	Brushless motor Voltage: 20V No-load speed: 4800rpm Blade diameter: 185mm(7-1/4") Cutting capacity: 45° degree: 45mm 90° degree: 65mm Adjustable cutting depth Adjustable bevel cutting Include: 1 Pcs 185mm saw blade Battery and charger sold separately Packed by color box	PCS	R1 409,24
TISU8501	 <p>P20S TOTAL Battery and charger sold separately</p>	Lithium-Ion jig saw	Voltage:20V No-load speed:2400rpm Cutting capacity: Metal : 8mm Wood : 80mm With 5pcs blade NO battery and charger included Packed by color box	PCS	R1 195,69
TMU2001	 <p>P20S TOTAL Battery and charger sold separately</p>	Lithium-ion multi-tool	Voltage:20V No-load speed:5000-20000/min With 1PCS flexible scraper With 1PCS cutting saw blade With 1PCS segment saw blade With 1PCS hex key With 1PCS sanding base With 3PCS sanding paper Battery and charger not included Packed by color box	PCS	R773,55
TAKTMT1502	 <p>15PCS / SET</p>	Multi tool blade sets	15pcs/set 1pcs BIM(M2) Segment saw blade, Dia.87mm(3-7/16") 1pcs Delta sanding Pad, size:80mm(3-1/8") 10pcs Aluminum-Oxide delta sandpaper for Wood, size:80mm(3-1/8") 1pcs CRV Radial flush-cut wood saw blade, size:34mm(1-5/16") 1pcs Bi-Metal standard flush-cut metal sawblade, size:34mm(1-5/16") 1pcs Rigid scraper, size:50mm(2") Packed by double blister	SET	#N/A
TRSLI1152	 <p>P20S TOTAL Battery and charger sold separately</p>	Lithium-ion reciprocating saw	Voltage:20V No-load speed:0-2800rpm Cutting capacity: Metal:8mm Wood:115mm With 1pcs metal saw blade With 1pcs wood saw blade Battery and charger sold separately Packed by color box	PCS	R896,04
TP11418018	 <p>1400W Variable speed</p>	Polisher	Voltage:220-240V~50/60Hz Input power:1400W No-load speed:1500-3600rpm Polishing pad diameter:180mm Variable speed control Aluminum gear box With 1pcs D-handle With 1pcs hook&loop polishing pad With 1pcs polishing bonnet With 1set extra carbon brushes Packed by color box	PCS	R1 366,80
TCTU2002	 <p>P20S TOTAL 18-400mm 4.0Ah X2</p>	Lithium-ion hydraulic crimping tool	Drill voltage: 20V crimping range : 16-400mm ² Crimping force : 120KN Crimp cycle : 6-18s (depend on the size of cable) Stroke : 42mm 2pcs 20V Lithium-Ion 4.0Ah batteries LED usage count display ACCESSORIES : Crimping dies : 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400mm ² With 2pcs battery pack (TFBU2002) With 1pcs 2hr charger (TFBU2001E) With 1set Sealing ring of cylinder With 1set Sealing ring of safety with 1set valve With 1set hydraulic fluid With 1pcs hydraulic fluid bag Packed by BMC+Color box	SET	R21 155,75













TDRLI206015	 P20S Battery and charger NOT included	Lithium-ion drive ratchet	Voltage:20V No-load speed:0-250rpm Square drive:3/8" Max torque:65NM With 1PCS 2.0Ah battery pack(TFBU2001) With 1PCS charger(TFCL2001E) With 3PCS sockets (13 17 19mm) Charge volts: 220-240V~50/60Hz Packed by color box	PCS	out of stock
TACL2001	 P20S Battery and charger NOT included	Lithium-ion auto air compressor	Voltage:20V Max.pressure:150PSI/10BAR With 1PCS ball adaptor With 1PCS tire valve adaptor NO battery and charger included Packed by color box	PCS	R670,57
TABLI2001	 P20S Battery and charger NOT included	Lithium-Ion aspirator blower	Voltage:20V No-load speed:10000/12500/17000/min Max.air volume:2.7m3/min With 1PCS dust bag NO battery and charger included Packed by color box	PCS	R716,49
TABLI20018	 P20S Battery and charger sold separately	Lithium-ion blower	Voltage:20V No-load speed:0-9000/0-18000rpm Max.air volume:2.7m3/min 2 speed adjustment Battery and charger sold separately Packed by color box	PCS	#VALUE!
TBLI2002	 P20S Battery and charger sold separately	Lithium-Ion heat gun	Voltage:20V Temperature:300/550°C Airflow:100/200 L/min Include: 1 Pcs reduction nozzle 1 Pcs reflector nozzle 1 Pcs flat nozzle Battery and charger sold separately Packed by color box	PCS	R492,84
TVLI2001	 P20S Battery and charger sold separately	Lithium-Ion vacuum cleaner	Voltage:20V Dust Capacity:0.7L Vacuum Pressure:High : ≥7.0KPa Normal : ≤5.0KPa Stainless steel filter net With 1PCS crevice nozzle With 1PCS dust brush With 1PCS floor nozzle With 1PCS flexible extension tube With 2PCS extension tube Battery and charger not included Packed by color box	PCS	R973,33
TVLI2005E	 P20S Battery and charger NOT included	Lithium-Ion vacuum cleaner	Voltage:20V Vacuity: ≥8.0KPa Dust capacity:20L Suction hose diameter: 32 mm Suction hose length: 1.5 m Tank: stainless steel tank With 1PCS flexible hose With 1PCS floor brush With 3PCS plastic tube With 1PCS paper bag With 1PCS crevice nozzle With 1PCS HEPA filter Battery and charger not included Packed by carton box	PCS	R1 365,85
TGLI2001	 P20S Battery and charger sold separately	Lithium-Ion glue gun	Voltage:20V Gluing capacity: 13-18g/min Glue stick,diameter:11.2mm Heat-up time:60sec With 3PCS 150mm glue sticks NO battery and charger included Packed by double blister	PCS	R241,36
TPWLI20084	 P20S 4.0Ah Battery and charger NOT included	Lithium-Ion Pressure Washer	Voltage:20V Max Pressure:24.8Bar Flow rate:2.2L/min Auto stop system 1PCS 4.0Ah battery 1PCS fast charger Charge volts:220-240V~50/60Hz 1 set 6-pattern spray gun 1 pcs 6m water inlet hose with quick connector 1 self suction connector 1 pcs 400ml foam producer 1 pcs portable bag Packed by color box	PCS	R2 285,48
TSTLI20028	 P20S BL Motor Battery and charger sold separately	Lithium String Trimmer And Brush Cutter	Brushless Motor Voltage:40V No-load speed:0-5500/min 0-7500/min Blade cutting diameter:255mm Trimmer cutting diameter:330mm Line dia:2.0mm round line length:5m With 1PCS trimmer head With 1PCS 3T blade Battery and charger not included Packed by color box	PCS	R3 251,20
THLI20461	 P20S Battery and charger NOT included	Lithium-Ion hedge trimmer	Voltage:20V Maximum speed :1400rpm Blade length:450mm (18") Maximum cutting diameter:18mm With 1PCS battery pack With 1PCS fast charger Charge volts:220V-240V~50/60Hz Packed by color box	PCS	R1 761,77







TWU2023	 Battery and charger sold separately	Lithium-ion work lamp	Voltage:20V LED power dissipation:1.5W Lumens:150±10% Battery and charger sold separately Packed by double blister	PCS	#VALUE!
TWU2025	 Battery and charger sold separately	Lithium-ion portable lamp	Voltage:20V LED power dissipation:20W Lumens: High:1800 Low:900 Battery and charger sold separately Packed by color box	PCS	R746,56
TWU35261		Work Lamp	Using Li-polymer rechargeable battery Lumens: Max:300±10% Low:75±10% LED power dissipation:3.5W Using Li-polymer rechargeable battery With USB Charging line Net weight:220g Packed by double blister	PCS	R396,48
TFU13AAA1		Flashlight	Aviation grade aluminum alloy:6N01-T6 Brightness:200 lumens Use alkaline 3AAA battery Tall light switch Waterproof grade IPX-4 Diameter/length :32mm/126.5mm, Weight:105g(without battery) Packed by double blister	PCS	R157,93
TCFL186503		Flashlight	Aviation grade aluminum alloy:6N01-T6 Brightness: Max:400 lumens Mid:150 lumens Low:50 lumens Use 18650 Li-ion battery High light 4H runtime Low light 18H runtime Four switch:highlight,middlelight,lowlight Diameter/length :27.5mm/158.3mm Net weight:157g Packed by double blister	PCS	R380,15
TG1061356-2		Impact drill	Voltage:220-240V~50/60Hz Input power:680W No-load speed:0-3000rpm Max.drilling capacity:13mm 13mm keyless chuck Variable speed control Forward/Reverse switch Hammer function Packed by color box	PCS	R614,88
TG111136		Impact drill	Voltage:220-240V~50/60Hz Input power:1010W No-load speed:0-2800rpm Max.drilling capacity:13mm Variable speed Forward/Reverse switch Hammer function Aluminum durable gear box Packed by color box	PCS	R1 050,83
TH1153216		Rotary hammer	Voltage:220-240V~50/60Hz Input power:1500W No-load speed:850rpm Impact rate:4000rpm Impact energy:5.5J Max.drilling capacity: Concrete:32mm Steel:13mm Wood:40mm SDS plus chuck system Anti-vibration system With 3 drills and 2 chisels With 1set extra carbon brushes Packed by BMC	PCS	R1 930,65
TG10711556		Angle grinder	Voltage:220-240V~50/60Hz Input power:750W No-load speed:12000rpm Disc diameter:115mm Spindle thread:M14 With 1pcs auxiliary handle Disc not included Packed by carton box	PCS	R626,45
TG1101256		Angle grinder	Voltage:220-240V~50/60Hz Input power:950W No-load speed:11000rpm Disc diameter:125mm Spindle thread:M14 With 1pcs auxiliary handle Disc not included Packed by color box	PCS	R870,05
TG1252306		Angle grinder	Voltage:220-240V~50/60Hz Input power:2400W No-load speed:8400rpm Disc diameter:230mm Spindle thread:M14 With 1pcs auxiliary handle With 1set carbon brushes Packed by color box	PCS	R1 851,60












TS9243526		Cut off saw	Voltage: 220V-240V~50-60Hz Input power: 2400W Blade size: 35x25.4x3mm No-load speed: 3900rpm Max. cutting capacity: 100mm in round pipe 100x100mm in square steel 120x100mm in rectangle Max. cutting steel bar: 50mm With 1pcs 355mm cutting disc Packed by Color box	PCS	R3 307,31
TWLC1256		Wall chaser	Voltage: 220-240V~50/60Hz Input power: 1500W No-load speed: 9000rpm Disc diameter: 125mm Spindle thread: M14 Cutting depth: 3-29 mm Cutting width: 8-30 mm With 1pcs chisel With 1pcs auxiliary handle With 1set carbon brushes With 4pcs cutting disc Packed by color box	PCS	R2 471,57
TB2006		Heat gun	Voltage: 220-240V~50/60Hz Input power: 2000W Temperature: 50°C/380°C/570°C Airflow: 500/300/500 L/min Include: 1 Pcs reduction nozzle 2 Pcs reflector nozzle 1 Pcs flat nozzle 1 Pcs scraper Packed by color box	PCS	R500,40
TD614006		Mixer	Voltage: 220-240V~50/60Hz Input power: 1400W No-load speed: 0-500rpm/0-800rpm Mixing pad thread: M14 Aluminum gear box Integrated work light With 1pcs mixing pad (TAC331160) With 1set extra carbon brushes Packed by color box	PCS	R2 168,72
TET1606		Electric soldering iron	Voltage: 220-240V~50/60Hz Input power: 60W Preheat time: 3~5minutes Straight tip head With a piece of support Long life replaceable tip Packed by sliding card	PCS	R176,59
TW22005		Inverter MMA Welding machine	IGBT Inverter technology Input voltage(V): 1~220-240 Frequency (Hz) : 50/60 Output current(A): 10-200 Duty cycle(%): 200A@60% LCD display No-load voltage(V): 70 Max. output current(A): 200 Diameter of electrode(mm): 1.6-5.0 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box	PCS	R4 295,57
THT13141		G clamp	Size: 4" Body malleable cast iron T-shaped thread Packed by paper card	PCS	R113,41
THT13161		G clamp	Size: 6" Body malleable cast iron T-shaped thread Packed by paper card	PCS	R178,67
THT13362		Spring clamp	Size: 6" Length : 150mm Clamping force: 15KGS Black clip body Max open mouth : 68mm Packed by label	PCS	R29,48
THT1340601		Quick bar clamp	Clamp size: 63x150mm Max clamp force: 60KGS Thickness and width of iron ruler: 5x18mm Packed by label	PCS	#VALUE!
THT1340603		Quick bar clamp	Clamp size: 63x450mm Max clamp force: 60KGS Thickness and width of iron ruler: 5x18mm Packed by label	PCS	R104,39












THT6126		Bench vice	Swivel base Size : 60mm Weight:1.7kg Max clamping force:1000KGS With anvil Packed by carton box	PCS	R269,12
THT171142		Ratcheting pipe wrench	Size : 14"/350mm Clamping diameter:18-52mm Carbon steel black finish and polish Packed by paper card	PCS	R372,17
THT250608		8 Pcs screwdriver set	8 pcs screwdriver set New design handle Material : CR-V Round blade 1pcs SL3.0*3*75 1pcs SL5.5*5*100 1pcs SL6.5*6*150 1pcs SL6.5*6*38 1pcs PH0*3*75 1pcs PH1*5*75 1pcs PH2*6*125 1pcs PH2*6*38 Packed by PP hanger	SET	R125,27
THT250606		6 Pcs screwdriver set	6 pcs screwdriver set New design handle Material : CR-V Round blade 1pcs SL5.5*5*75 1pcs SL5.5*5*100 1pcs SL5.5*6*150 1pcs PH1*5*75 1pcs PH1*5*100 1pcs PH2*6*150 Packed by PP hanger	SET	R100,68
THT264100		Slotted screwdriver	1pcs screwdriver with 1pcs plastic hanger S2, Round shank Slotted : 4.0mm Diameter : 4.0mm Length : 100mm Packed by plastic hanger	PCS	R16,07
THT265100		Slotted screwdriver	1pcs screwdriver with 1pcs plastic hanger S2, Round shank Slotted : 5.5mm Diameter : 5.0mm Length : 100mm Packed by plastic hanger	PCS	R18,13
THT26PH0075		Phillips screwdriver	1pcs screwdriver with 1pcs plastic hanger S2,PH0, Round shank Diameter : 3.0mm length : 75mm Packed by plastic hanger	PCS	R12,96
THT26PH1100		Phillips screwdriver	1pcs screwdriver with 1pcs plastic hanger S2,PH1, Round shank Diameter : 5.0mm length : 100mm Packed by plastic hanger	PCS	R18,69
THT250216		2 IN 1 Screwdriver set	2 IN 1 Screwdriver set Shank size : 6.35X75MM,PH2+SL6 Material:CR-V With 1pcs interchangeable handle Packed by plastic hanger	PCS	R23,31
THT291408		Test pencil	Test voltage:AC 100-500V Slotted size:3x140mm Packed by plastic hanger	PCS	R13,45
THTDC250201		2 Pcs screwdriver set	2 pcs screwdriver set New design handle Material:Cr-V Round blade 1pcs SL6X125mm 1pcs PH2X125mm Packed by plastic hanger	SET	R28,49

THTDC250601		6 pcs screwdriver set	6 pcs screwdriver set New design handle Material:Cr-V Round blade 1pcs SL5X75mm 1pcs SL5X100mm 1pcs SL6X150mm 1pcs PH1X75mm 1pcs PH1X100mm 1pcs PH2X150mm with 1 pcs plastic frame Packed by double blister	SET	R66,79
THT311425		Staple gun	Iron staple gun Adjustable driving force Wire:0.7mm Crown:11.3mm Length : 4-14mm Matched with: Staples THT398/THT39101/THT39121 Packed by double blister	PCS	R127,36
THT32104		Hand riveter	Size:10.5" Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card	PCS	R63,27
THT321085		Hand riveter	Size:10.5" Applicable aluminum rivet size:Ø2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card	PCS	R86,16
THT32105		Hand riveter	Size:10.5" Aluminium alloy body Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by double blister	PCS	R123,76
THT32131		Hand riveter	Size:13" Applicable to stainless steel,aluminum and steel rivet Stainless steel rivet : φ3.2mm,4.0mm,4.8mm,6.0mm Aluminum&steel rivet : φ3.2mm,4.0mm,4.8mm,6.0mm,6.4mm Hand riveter material:Steel+Aluminium Packed by color box	PCS	R258,32
THT32176		Hand riveter	Size:420mm,17" Applicable rivet size:3.2mm,4mm,4.8mm Material : Steel+Aluminium With Unique design Rubber hand Packed by color box	PCS	R186,76
THT32321		Folding hand riveter	Size:815mm,32" Applicable rivet size:3.2mm,4mm,4.8mm,6mm,6.4mm Packed by color box	PCS	R413,13
THT20209		Caulking gun	9" caulking gun Thickness : 0.8mm Iron shank with teeth Length:235mm Diameter:55mm Packed by label	PCS	R35,89
THT20109		Aluminum caulking gun	9" aluminum caulking gun Strong aluminum handle Length:230mm Diameter:54mm Packed by paper card	PCS	R131,87
THT41K0401		4 Pcs wood chisel set	Wood Chisel Material : CR-V Width:6mm, 12mm, 19mm, 25mm Length : 140mm Packed by Sliding card	SET	R223,21












THT918326	 <p>3PCS FILE SET 200mm(8") Flat Half Round Round</p>	3 Pcs wood file set	Size:200mm Flat wood file 1pcs Half round wood file 1pcs Round wood file 1pcs Packed by double blister	SET	R148,11
THT918516	 <p>5PCS FILE SET 200mm(8") Flat Triangular Half Round Round Square</p>	5 Pcs steel file set	Length:200mm, T12 Steel Flat steel file 1pcs Half round steel file 1pcs Round steel file 1pcs Triangle steel file 1pcs Square steel file 1pcs Packed by double blister	SET	R249,69
THT5116118	 <p>x5 SK5 blades</p>	Utility knife	Size:180x45mm Blade size:61x19mm With 5pcs SK5 blades (THT519611) Packed by double blister	PCS	R99,01
THT5136236	 <p>61x19mm Zinc-Alu Alloy SUPER</p>	Folding knife	Folding knife Aluminum alloy handle Blade size:61x19mm With 5PCS blades (THT519001) Packed by double blister	PCS	R55,89
THT519611	 <p>X 10PCS(SK5)</p>	10pcs blades set	size:61mmx19mm With 10pcs SK5 blade Suitable for : THT5116118, TGS126101, THT5126128, THT5136138 Packed by plastic box	SET	R13,28
THT5110906	 <p>9x80mm</p>	Snap-off blade knife	Blade:9mm(W)x80mm(L)(THT5190901) Stainless steel body With 1 pcs blade,Auto-Lock Length:135mm With flat push button Packed by Color box	PCS	R18,73
THT5190901	 <p>10PCS Size:9x80mm</p>	10 Pcs blades set	10Pcs/Set Size: 9X80mm Suitable for Item THT5110906/THT5110916 Packed by plastic box	SET	R8,83
THT511816		Snap-off blade knife	Blade Size:18mmx100mm With 1 pcs blade (THT519112) Length:173mm With flat push button Packed by sliding card	PCS	R18,55
THT519112	 <p>10PCS Size:18x100mm</p>	10 Pcs 18mm knife blades set	10Pcs/Set Size: 18X100mm Suitable for Item THT511816/THT511826/THT511836/TGS121806/THT51001 Packed by plastic box	SET	R10,35
THT53425		PVC Pipe cutter	Length:193mm Cutting diameter:3-42mm Material : Aluminum Packed by double blister	PCS	R84,63
THMHF1504	 <p>250mm(10") 300mm(12") 65Mn SUPER</p>	Mini hacksaw frame	MINI Hand Frame Including 1pcs 65Mn blade Fit For 10"/250mm & 12"/300mm blade Packed by paper card	PCS	R37,65
THMHF1503	 <p>150mm(6") Aluminum Body 65Mn TPR</p>	Mini hacksaw frame	Size:150mm(6") With 1 pcs blade Aluminum body+TPR handle Suitable for cutting plastic, wood Soft grip design Packed in paper card	PCS	R0,00












TMH5B1501		Mini Hacksaw Blade	Size : 150mm (6") Number of teeth : 24T 10Pcs/Set Material : 65Mn Suitable for item THMHF1501 THMHF1503 Packed by Plastic bag	SET	R40,91
TH7541036		Hacksaw Frame	Size:300mm/12" Unique design Hacksaw frame Including 1pcs 65Mn saw blade Packed by paper card	PCS	R48,16
TH754166		Hacksaw frame	Size:300mm/12" handle hack saw frame, adjustable With Soft grip Including 1pcs 65Mn saw blade Packed by paper card	PCS	R67,83
TH7541026		Hacksaw frame	Unique design New design Size:300mm/12" handle hack saw frame, adjustable. Soft grip Included 1pcs saw blade Packed by paper card	PCS	R114,76
TH754106		Hacksaw frame	Unique design INDUSTRIAL Hacksaw frame Size:300mm/12" Heavy duty frame Aluminum + ABS + TPR handle, Strong and Comfortable Adjustable tension Quick-release blade changing mechanism Including 1pcs 65Mn saw blade Packed by paper card	PCS	R171,01
TH759126		Mitre box and back saw set	Plastic mitre box with back saw set 1pcs plastic mitre box Size:300x140x80 thickness:20mm 1pcs back saw Size:300mm/12", 11TPI Material : 65Mn Unique design new design handle Packed by shrink	PCS	R135,08
TH759241		Bow saw	Handle hack saw frame Size:610mm/24" Including 1pcs saw blade Packed by paper card	PCS	R101,00
TH7715006		Machinist hammer	Weight:500g Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label	PCS	R78,67
TH77210006		Stoning hammer	Weight:1000g 45# carbon steel Drop-forged hammerhead Heat treatment Two color Fiberglass handle Packed by label	PCS	R122,71
TH74211026		Cold chisel	Unique design Handle Head size:22mm Handle size:16mm Length:250mm Material : 45# Carbon steel Drop forged and heat treatment Packed by plastic hanger	PCS	R49,19
TH757308		Claw hammer	Weight:8oz/220g Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label	PCS	R68,79
TH774166		Ball pein hammer	Weight:16oz/450g Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label	PCS	R90,77













THT761616		Rubber hammer	Weight:16oz/450g Two color Fiberglass handle Packed by label	PCS	R70,92
THT788006		Axe	Weight:800g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label	PCS	R151,67
TLL255267		3D all-lines green	Green laser beams 360° Three plane 5000mAh lithium battery Leveling accuracy ±0.3mm/m Line width 2mm/5m Self-leveling angle ±3° Working Range: 0-30 m with base with glasses with charger with connector with Iron plate with Wall bracket with remote control with Ceiling Enclosure *2 Packed by Plastic box	PCS	R3 426,11
THT015501		Infrared thermometer	Temperature:-30°C-550°C (-22°F-1022°F) Color display screen D/S=12:1 Response time<0.5S Laser:<1mW(630nm-650nm) 12 point Auto power off Back light Ambient temperature:-10°C-60°C (14°F-140°F) Temperature upper / lower limit alarm (Red) Not for human Packed by color box	PCS	R328,32
TMT126051M		Steel measuring tape	Length & width:5m x 19mm Only metric With 3 stop button function With rubber cover Packed by plastic hanger	PCS	R37,81
TMT126351		Steel measuring tape	Length & width:5m x 19mm Double button With metric and inch Unique design Pure ABS material cover Packed by label	PCS	R31,48
TMT126052M		Steel measuring tape	Length & width:5m x 25mm Only metric With 3 stop button function With rubber cover Packed by plastic hanger	PCS	R56,93
TMT126081M		Steel measuring tape	Length & width:8m x 25mm Only metric With 3 stop button function With rubber cover Packed by plastic hanger	PCS	R68,43
TMT126101M		Steel measuring tape	Length & width:10m x 25mm Only metric With 3 stop button function With rubber cover Packed by plastic hanger	PCS	R84,95
TMT13206		Fiberglass measuring tape	3:1 Gear ratio for fast rewind Length & width:20m x 12.5mm With metric and inch Pure material retracting gear With all rubber cover Integrated handle good for using and convenient storing Packed by color box	PCS	R97,81
TMT19923		Digital display measuring wheel	Display resolution:0.1m Tolerance: ± 0.5% Measuring range:0-99999.9m With digital display and memory With metric and inch dual system With stand Power supply:2xLR3 batteries Packed by color box	PCS	R916,27













TMT321506		Digital caliper	Range:0-150mm Reading:0.01mm IP54 housing Battery 3v Metric/inch system conversion at any position Packed by plastic box	PCS	R496,84
TMT56016		Laser distance detector	Measuring Range:0.05-60m Measuring Accuracy:+2.0mm Laser Type:635nm, <1mW, Class 2 Operating temp:-10°C ~ +50°C Function:Distance,area,volume,height With power off function Unique design With 1pcs canvas bag Packed by color box	PCS	R896,47
THT661301		Chalk line reel	Chalk line reel Length: 30m With 1 bottle chalk With 1 pcs spirit bubble Packed by double blister	SET	R64,72
TMT20105M		Hand level	Length : 10cm VPA standard With strong magnet 0.5mm/m solid shockproof acrylic vial Thickness:1.5mm Shockproof end caps Packed by label	PCS	R89,57
TMT210056		Spirit level with powerful magnets	Length : 100cm Double side milled 0.5mm/m accurate vials 3 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	PCS	R616,09
TMT2267		Mini spirit level	Length : 225mm With magnet With 3 vials Material:ABS plastic Packed by Label	PCS	R35,29
TMT26036		Spirit level	Length : 60cm 2pcs cylinder spirit bulbs Aluminum thickness:1mm Packed by color sleeve	PCS	R69,45
TMT26056		Spirit level with powerful magnets	Length : 60cm Double side milled 0.5mm/m accurate vials 2 Pcs powerful magnets Double flat surfaces design Packed by color sleeve	PCS	R440,13
TMT61212		Angle square	Size:18cm material : ABS Only metric Beveled edge for ease of reading Easy-to-read gradations Base enable easy marking and cutting Lightweight & high-impact structural material Packed by Paper Card	PCS	R61,71
TMT653005		Magnetic lock combination square	Length:300mm(12") Blade Width:25mm Blade Thickness:2.0mm Net weight:355g Magnetic lock adjustment Heavy-duty zinc body Stainless steel blade With 1pcs stainless steel scriber Packed by double blister	PCS	R485,13
TAMWH7006		7 Pcs magnetic welding holder set	7pcs Magnetic Welding Holder Set Specifications : 2pcs Mini Magnet 2pcs 3" Magnet 2pcs 3" Multi-angle Magnet 1pcs 4" Magnet Pull Force: Mini 10Lbs 3" 25Lbs 3" Multi-angle 25Lbs 4" 50Lbs Product Dimensions per pcs : Mini 70*42.5*12mm 3" 120*83*14.4mm 3" Multi-angle 117*90*17.1mm 4" 155*102*17.4mm Weight per pcs: Mini 108g 3" 304g 3" Multi-angle 300g 4" 591g Angles:	SET	R299,72












THCTB10025		Cable ties	Color:Black Material: Nylon 66 Length:100mm Width:2.5mm 100pcs/set two year warranty Packed by label	SET	R11,73
THCTB25048		Cable ties	Color:Black Material: Nylon 66 Length:250mm Width:4.8mm 100pcs/set two year warranty Packed by label	SET	R77,61
THRS065606		Ratchet straps	Load:0.65T Length:6m Width:25mm S.F.:2-1 4Pcs/set Ribbon material : PE5,secure your equipment 4 pcs With ratchet and 5 hook Packed by plastic box	SET	R342,91
		Cut-resistance gloves	Size:XL Use for timber and glass cutting worker, heavy sharp objects carriers etc. PU coated palm,flexible and good feeling. HPPE shell,cut-resistance and abrasion. Antistatic. Packed by poly bag	PAIR	R50,32
TSP906		Safety goggles (Only for daily use)	Material:PC Dark shade:9 Light weight,comfortable to wear,wide visual field Packed by double blister	PAIR	R41,88
TSP9103		Auto-darkening welding helmet	Optical rating : 1/1/1/1 The biggest view area : 100 x 67 mm Sensors : 4 Light state : DIN 3 Dark state : DIN 5-9 / 9-13 UV/IR protection : up to DIN 16 Switch time (Light to dark) : <0.04ms Shade control : inside & stepless Sensitivity control : inside & stepless Delay control (Dark to light) : inside & stepless, 0.15-0.80s TIG amps rated : 22 amps Grind mode : yes, inside Material of helmet: nylon Weight : 560±5% Operating temperature : -5°C (23°F)- +55°C (131°F) Storing temperature : -20°C (-4°F)- +70°C (158°F) Power supply: solar panel & replaceable lithium batteries 2pcs*CR2032 Packed by color box	PCS	R891,24
TSP9306		Auto-darkening welding helmet	Viewing area:92x42mm Cartridge size:110x90x9mm Arc sensor:2 Optical class : 1/1/1/2 Light state:DIN 4 Dark state:variable shade, 9 ~13 Shade control:external,variable Power ON/OFF:fully automatic Sensitivity control:auto UV/IR protection:DIN 16 Power supply:solar cells+2*CR2032 lithium batteries Switching time:1/15000s,from light to dark Dark to light (Delay) :0.1-1.0 auto Low amperage TIG:≥10amps(DC), ≥10amps(AC) Grinding function :yes Low volume alarm:yes Operating temp:-5°C~+55°C Storing temp:-20°C~+70°C Packed by color box	PCS	R562,07
TAC310071		7 Pcs wire brush set	Wire brush 7pcs set Specifications: 1pcs10"Wire brusher 1pcs 1"Wire end brushes with shank 1pcs 1.5"Circular grinding wire brush 1pcs 2"Circular grinding wire brush 1pcs 3"Circular grinding wire brush 1pcs 4"Circular grinding wire brush 1pcs 2.5"Cup brushes with shank Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel, Soft wood, Hard wood Packed by double blister	SET	R126,48
TEWSFC081001		Flux-cored wire	Flux-cored welding wire Model number: E71T-G5 Diameter: 0.8mm Weight: 1kg/spool, 20kg/carton box Material: Carbon steel Flux-cored wire for item TMGT1601, UTMGT1601 and TFC1301. Advantage: Less spatter, stable arc, easy slag removal, good bead appearance. Application: Welding carbon steel structure Packed by carton box	PCS	R181,19
TAC210115100		Abrasive metal cutting disc set	115mm (4-1/2") *1.0mm(3/64")*22.2mm(7/8") 100pcs/metal box Flat centre Cutting disc for metal and inox Packed by metal box	SET	R559,07












TAC2231151		Abrasive metal grinding disc	115mm(4-1/2")X6.0mm(1/4")X22.2mm(7/8") Depressed centre Grinding disc for metal Packed by label	PCS	R24,99
TAC2211151		Abrasive metal cutting disc	115mm(4 1/2")X1.2mm(3/64")X22.2mm(7/8") Flat centre cutting disc for metal Packed by label	PCS	R8,28
TAC2211155		Abrasive metal cutting disc set	10Pcs/set 10Pcs/shrink 115mm(4-1/2")X1.2mm(3/64")X22.2mm(7/8") Flat centre Cutting disc for metal Packed by metal box	SET	R91,53
TAC2162301		Abrasive metal cutting disc	230MM(9")X1.6MM(1/16")X22.2MM(7/8") Flat centre Cutting disc for metal and inox Packed by label	PCS	R34,59
TAC2212303		Abrasive metal cutting disc	230MM(9")X1.9MM(5/64")X22.2MM(7/8") Flat centre cutting disc for metal Packed by label	PCS	R32,09
TAC631152		Flap disc	Size : 115mm*22mm, P60 suitable for high steel, steel, cast iron and sheet steel Packed by label	PCS	R22,40
TAC631153		Flap disc	Size : 115mm*22mm, P80 suitable for high steel, steel, cast iron and sheet steel Packed by label	PCS	R22,40
TAC111153		Dry diamond disc	115(4-1/2")X22mm Blade width:7.5mm Packed by color box	PCS	R39,87
TAC111254		Diamond disc	125(5")X22.2mm Blade width:7.5mm Match with TWLC1256 Packed by color box	PCS	R86,45
TAC21123033		Dry diamond disc	230(9")X22.2mm Blade width:7mm 3pcs/set Packed by color box	SET	R314,33
TAC2323111		TCT saw blade	165mm(6-1/2") 24T, arbor:20mm Suitable for circular saw TSL11651 Wood cutting Packed by color box	PCS	R84,87













<p>TAKMG4208</p>		<p>Accessories of mini drill</p>	<p>420 Pcs accessories of mini drill set 1.40pcs Sand ring 2.7pcs Baize 3.2pcs Bullet felt 4.1pcs Cloth wheel 5.4pcs Rubber polishing wheel 6.6pcs Twist drill, 3pcs milling cutter 7.1pcs Diamond saw blade,1pcs stainless steel Saw blade 8.3pc Fixed rod for grinding wheel 9.10pcs King kong grinding needle 10.10pcs Diamond grinding head 11.9pcs Grinding head 12.9pcs Brush 13.4pcs Chuck 14.6pcs Cutting disc 15.1pcs Rubber grinding wheel 16.18pcs Grinding wheel without rod 17.1pcs Sharpening stone 18.2pcs With rod hundred impeller 19.1pcs Wrench 20.120pcs Grinding wheel piece 21.157pcs Sanding pane</p>	<p>SET</p>	<p>R342,13</p>
<p>TACSD0251</p>		<p>25PCS HSS drill bits set</p>	<p>25PCS HSS drill bits Drill bit size:1-13mm/0.5mm Same as BOSCH quality Fully ground flute,135° self-centering split point,high quality M2 high speed steel Packed by plastic box</p>	<p>SET</p>	<p>R1 337,63</p>
<p>TACSD81901</p>		<p>19 Pcs drill bits & screwdriver bits set</p>	<p>19PCS drill bits & setscrewdriver bits set 7pcs HSS Rolling twist drill bits SIZE:2,3,3.5,4,4.5,6mm 4pcs Masonry drill bits SIZE:4,5,6,8mm 8PCS 25mm Screwdriver bits SL4,S,LSL5,PH1,PH2,P21,P22,T20,T30 Packed by double blister</p>	<p>SET</p>	<p>R85,64</p>
<p>TACSE0056</p>		<p>5 Pcs screw extractor set</p>	<p>Material:Cr-V Size:3*6mm(#8),6*8mm(2#),8*11mm(3#), 11*14mm(#10),14*18mm(5#) Hardness:48~52HRC Coarse thread Packed by plastic box</p>	<p>SET</p>	<p>R101,04</p>
<p>TACSD0605</p>		<p>HSS twist drill bits set</p>	<p>Size : 2mm, 3mm, 4mm, 5mm, 6mm, 8mm 6pcs HSS twist drill bits set Packed by double blister</p>	<p>SET</p>	<p>R42,19</p>
<p>TACSD1945</p>		<p>4 Pcs hammer drill bits set</p>	<p>4PCS SDS plus hammer drill bits set Size:6*110,6*160,8*160,10*160 Packed by double blister</p>	<p>SET</p>	<p>R97,92</p>
<p>TACSD0505</p>		<p>5 Pcs masonry drill bits set</p>	<p>Size : 4X75mm, 5X85mm, 6X100mm, 8X120mm, 10X120mm 5pcs masonry drill bits set Packed by double blister</p>	<p>SET</p>	<p>R53,71</p>
<p>TACSD7055</p>		<p>5 Pcs wood drill bits set</p>	<p>Size : 3X61, 4X75, 5X86, 6X93, 8X117 5pcs wood drill bits set Packed by double blister</p>	<p>SET</p>	<p>R44,00</p>
<p>THT1K0301</p>		<p>3 Pcs pliers set</p>	<p>Size: 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers Polish and anti-rust oil Two color handle Packed by sliding card</p>	<p>SET</p>	<p>R204,97</p>
<p>THT2K0301</p>		<p>3 Pcs pliers set</p>	<p>Size : 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers Cr-V,black finish and polish Two color handle Packed by PP hanger</p>	<p>SET</p>	<p>R246,52</p>
<p>THT2K0301S</p>		<p>3 Pcs high leverage pliers set</p>	<p>Size : 8" High leverage combination pliers 7" High leverage diagonal cutting pliers 6" High leverage long nose pliers Cr-V,black finish and polish TPR three color handle Saving 30% strength than normal pliers Packed by PP hanger</p>	<p>SET</p>	<p>R281,61</p>











THT110806P		Combination pliers	Size : 8"/200mm Polish and anti-rust oil Two color handle Packed by sliding card	PCS	R75,56
THT120606P		Long nose pliers	Size : 6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card	PCS	R56,93
THT130606P		Diagonal cutting pliers	Size : 6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card	PCS	R68,79
THT120906S		High leverage combination pliers	Size : 9.5"/240mm Cr-V,black finish and polish TPR three color handle Saving 30% strength than normal pliers Packed by PP hanger	PCS	R171,45
THT281006		Pump pliers	Size : 10"/250mm Max clamping open:40mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger	PCS	R113,20
INDUSTRIAL THT281202		Pump pliers	Size : 12"/300mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger	PCS	R138,72
THT11561		Cable cutter	Size:6"/160mm Black finish and polish Carbon steel Packed by half double blister	PCS	R60,57
THT11581		Cable cutter	Size:8"/200mm Black finish and polish Carbon steel Packed by half double blister	PCS	R62,51
THT115101		Cable cutter	Size:10"/250mm Black finish and polish Carbon steel Packed by half double blister	PCS	R72,85
THT115102		Heavy duty cable cutter	Heavy duty cable cutter Size:10"/250mm Black finish and polish Carbon steel Packed by half double blister	PCS	R80,57
THTJ532106		Aviation snip	Unique design two tone soft handle Aviation snip(Straight) Length:250mm (10") Max.cutting thickness: Carbon steel ≤1.2mm Stainless steel ≤0.7mm Packed by half double blister	PCS	R153,91
THT115242		Cable cutter	Size:24" Blades Material:65Mn Used for cutting copper and aluminum cable Not for cutting ACSR , wire rope,steel or self supporting strand Cutting Area:240mm2 Body heat treatment,cutting edges induction quenched Packed by paper card	PCS	R357,77











THT115362	 <p>Comfortable Rubber Handle</p> <p>55Mn Copper and aluminum cables</p>	Cable cutter	<p>Size:36" Blades Material:65Mn Used for cutting copper and aluminum cable Not for cutting ACSR , wire rope,steel or self supporting strand Cutting Area:450mm² Body heat treatment , cutting edges induction quenched Packed by paper card</p>	PCS	R644,45
THT11386	 <p>Cr-V</p>	Mini bolt cutter	<p>Size:8" Cr-V blade Black finish and polish TPR two color handle A lock at the end of handle Packed by sliding card</p>	PCS	R85,41
THT113186	 <p>Comfortable Rubber Handle</p> <p>Cr-V 500mm(18")</p>	Bolt cutter	<p>Size:18" Cr-V blade Black finish and polish TPR two color handle Packed by paper card</p>	PCS	R283,52
THT113426	 <p>Comfortable Rubber Handle</p> <p>Cr-V 1050mm(42")</p>	Bolt cutter	<p>Size:42" Cr-V blade Black finish and polish TPR two color handle Packed by paper card</p>	PCS	R988,72
THT1K0511		6pcs mini pliers set	<p>1PCS 4.5" Combination pliers 1PCS 4.5" Diagonal cutting pliers 1PCS 4.5" End cutting pliers 1PCS 4.5" Long nose pliers 1PCS 4.5" Flat nose pliers 1PCS 4.5" Needle nose pliers Two color handle Packed by sliding card</p>	SET	R221,87
THTMN256		Mini long nose pliers	<p>Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card</p>	PCS	R41,95
THTMN356		Mini diagonal cutting pliers	<p>Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card</p>	PCS	R41,95
THTMN456		Mini bent nose pliers	<p>Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card</p>	PCS	R41,95
THTMN556		Mini end cutting pliers	<p>Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card</p>	PCS	R41,95
THT117871		Electrician's Scissors	<p>Size : 178mm (7") Material : Stainless steel Unique design Blade with teeth Sand blast surface Packed by sliding card</p>	PCS	R77,13
THT1591		Wire stripper	<p>Size:7"/180mm Blade material:65Mn Zinc alloy Pack by double blister</p>	PCS	R114,44
THT25616		Wire stripping pliers	<p>Size : 6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger</p>	PCS	R82,31













THT15101		Wire stripper	Size:10"/250mm With sharp edge for cutting wire With push down wire function With wire stripping function Can strip six kinds of Wire size Can cut five kinds of copper screw size Packed by sliding card	PCS	R137,27
THCP0506	 <p>CRIMPING RANGE: 0.5-6mm²</p> <p>Non-insulated tabs & receptacles</p>	Ratchet crimping plier	Crimping range : 0.5-6mm ² For non-insulated tabs and receptacles AWG:20-10 Length : 9" Unique design ABS handle Pressure force can be adjusted, fit for various terminals Packing by sliding card	PCS	R187,35
THCP2510	 <p>CRIMPING RANGE: 0.25-10mm²</p> <p>Tubular bare terminals & pre-insulated terminals</p>	Ratchet crimping plier	Crimping range : 0.25-10mm ² For tubular bare terminals and pre-insulated terminals AWG:23-7 Length : 6" Unique Design handle Pressure force can be adjusted, fit for various terminals Packing by blister card	PCS	R262,07
THCP0506	 <p>CRIMPING RANGE: 0.5-6mm²</p> <p>Insulated terminals & butt connectors</p>	Ratchet crimping plier	Crimping range : 0.5-6mm ² For insulated terminals and butt connectors AWG:20-10 Length : 9" Unique Design ABS handle Pressure force can be adjusted, fit for various terminals Packing by blister card	PCS	R182,27
THCPL1506	 <p>CRIMPING RANGE: 1.5-6mm²</p> <p>Non-insulated terminals</p>	Ratchet crimping plier	Crimping range : 1.5-6mm ² For non-insulated terminals AWG:20-8 Length : 9" Unique Design ABS handle Pressure force can be adjusted, fit for various terminals Packing by blister card	PCS	R187,89
TMPCN5468R	 <p>200mm(8") Crimping range: 4P/6P/8P</p>	Modular plug crimper	Modular Plug Crimper Used for crimping terminals of network line and telephone line Crimping range : 4P , 6P , 8P Length : 8" Design of labor-saving ratchet Three functions : Crimping . Stripping . Cutting Unique Design PVC handle Packing by blister card	PCS	R127,92
THT15246	 <p>210mm(8-1/4")</p>	Automatic wire stripper	3 in 1 multi-function Stripping, cutting and crimping Stripping wires range:10AWG-24AWG(0.2-6mm ²) Cutting function:copper and aluminum wires Crimping function: Crimp the insulated terminals 0.5-6mm ² (10-22 AWG); Crimp the non-insulated terminals: 0.5-6mm ² (4-22 AWG); Crimp the ignition terminals: 7-8mm ² Durable and comfortable handle Packed by sliding card	PCS	R199,88
THCT0240	 <p>Cu16-240mm²</p> <p>70KN</p>	Hydraulic crimping tool	Crimping range : Cu 16-240mm ² Crimping force: 70kN Crimping type: hexagon crimping Stroke: 18mm Length: approx.475mm Weight: approx.3.6kg Weight of box: approx.1.8kg ACCESSORIES Crimping dies: 16,25,35,50,70,95,120,150,185,240mm ² Sealing O-ring: one set packed by BMC	SET	R1 085,11
THCT070	 <p>Cu4-70mm²</p> <p>45KN</p>	Hydraulic crimping tool	Crimping range : Cu 4-70mm ² Crimping force: 45KN Crimping type: hexagon crimping Stroke: 11mm Length: approx.310mm Weight: approx. 1.80kg Weight of box: 1.1kg ACCESSORIES Crimping dies: 4,6,8,10,16,25,35,50,70mm ² Sealing O-ring: one set packed by BMC	SET	R923,05
TFMFT01151		Foldable multi-function tool	Stainless steel handle with soft rubber grip Stainless steel components Foldable, easy to carry Includes lips nylon belt pouch Overall size : 155mm closed size : 100mm With 15 Function 1.Flat nose Pliers 2.Regular pliers 3.Wire Cutters 4.Sharp knife 5.3# Screwdriver 6.Bottle opener 7.5# Screwdriver 8.7# Screwdriver 9.Serrated knife 10.Wood Saw 11.Multi-purpose Hook 12.Hook remover 13.Phillips Screwdriver 14.Can Opener 15.Metal/Wood File Packed by double blister	PCS	R238,52
THTS566		6 Pcs insulated screwdriver set	6 PCS Insulated Screwdriver Set SL3.0x75 SL4.0x100 SL6.5x150 PH0x60 PH1x80 PH2x100 New design handle Use Aluminum frame with 4pcs Screw and 4pcs Screw Plug Round shank 1000V,VDE Certification Packed by double blister	SET	R173,97













THTIS5106		10 Pcs interchangeable insulated screwdriver set	10 Pcs interchangeable Insulated screwdriver set Include : 8 Pcs Insulated Screwdriver Shank (1000V) : SL2.5*110mm SL3*110mm SL4*110mm SL5.5*110mm SL6.5*110mm PH0*110mm PH1*110mm PH2*110mm 1 Pcs interchangeable Insulated Round Handle 1 Pcs Test Pencil : 140mm (Test voltage : 100-500VAC) Packed by Plastic box	SET	R210,63
THKISD1201		12 Pcs Interchangeable Insulated Screwdriver Set	12 Pcs Interchangeable Insulated Screwdriver Set 1000V, VDE/GS Certification Include: SL2.0x100 SL2.5x100 SL3.0x100 SL3.5*100 SL4.0x100mm SL5.5x100 SL6.5x100 PH0x100 PH1x100 PH2x100 Material: S2 With 1pcs. Interchangeable Handle With 1pcs 3.0x70mm voltage tester Packed by canvas bag	SET	R443,07
THTIS3075		Insulated screwdriver	Insulated screwdriver 1000V, VDE+GS Certification SL3.0x75mm Cr-V, Round shank New design handle Packed by plastic hanger	PCS	R21,45
THTIS4100		Insulated screwdriver	Insulated screwdriver 1000V, VDE+GS Certification SL4.0*100mm Cr-V, Round shank New design handle Packed by plastic hanger	PCS	R24,03
THTIS5125		Insulated Screwdriver	CR-V, SL5.5x125 New design handle Round shank 1000V, VDE Certification Packed by plastic hanger	PCS	R28,99
THTISPH060		Insulated screwdriver	Insulated screwdriver 1000V, VDE+GS Certification PH0x60mm Cr-V, Round shank New design handle Packed by plastic hanger	PCS	R20,96
THTISPH2100		Insulated Screwdriver	CR-V, PH2x100 New design handle Round shank 1000V, VDE Certification Packed by plastic hanger	PCS	R33,12
THT2K0302		3 Pcs insulated pliers set	Size : 8" Insulated Combination pliers 6" Insulated Long nose pliers 6" Insulated Diagonal cutting pliers Cr-V, black finish and polish Two color handle Stand high pressure: 1000V Packed by PP hanger	SET	R373,11
THTIP2181		Insulated combination pliers	Size: 8"/200mm Black finish and polish Insulated handle Stand high pressure: 1000V Packed by PP hanger	PCS	R160,07
THTIP2261		Insulated high leverage diagonal cutting pliers	Size: 6"/160mm Black finish and polish Insulated handle Stand high pressure: 1000V Packed by PP hanger	PCS	R141,51
THTIP2381		Insulated long nose pliers	Size: 8"/200mm Black finish and polish Insulated handle Stand high pressure: 1000V Packed by PP hanger	PCS	R141,97













THHIP2761		Insulated cable cutter	Size: 6"/160mm Black finish and polish Insulated handle Stand high pressure: 1000V Packed by PP hanger	PCS	R110,16
THHIP28101		Insulated Pump pliers	Size: 10"/250mm Max clamping open: 40mm Black finish and polish Insulated handle Stand high pressure: 1000V Packed by PP hanger	PCS	R154,81
THHIP381		Insulated long nose plier	Size: 8"/200mm Satin finish, insulated handle Stand high pressure: 1000V Packed by sliding card	PCS	R94,87
THHIP181		Insulated combination pliers	Size: 8"/200mm Satin finish, insulated handle Stand high pressure: 1000V Packed by sliding card	PCS	R110,87
THKIPA0701		7PCS insulated open end spanner set	7PCS Insulated open end spanners set 1000V, VDE/GS Certification Include: 8mm, 10mm, 12mm, 13mm, 14mm, 17mm, 19mm; Packed by canvas bag	SET	R968,03
THKIPA0702		7PCS insulated ring wrench set	7PCS Insulated ring wrench set 1000V, VDE/GS Certification Include: 8mm, 10mm, 12mm, 13mm, 14mm, 17mm, 19mm; Packed by canvas bag	SET	R1 152,44
THIADW101		Insulated adjustable wrench	Insulated adjustable wrench 1000V, VDE/GS Certification Size: 10"/250mm Manufactured according to EN60900 Material: chrome vanadium material Chrome plated surface Packed by blister card	PCS	R533,29
THIRTH121		1/2" Insulated ratchet wrench	Insulated ratchet wrench 1000V, VDE/GS Certification Size: 1/2" 36T Length: 250mm Material: CR-V+Cr-Mo Manufactured according to EN60900 Packed by double blister	PCS	R918,52
THITH121		1/2" Insulated T-handle wrench	1/2" Insulated T-handle wrench 1000V, VDE/GS Certification Size: 1/2"x200x140mm Manufactured according to EN60900 Material: CR-V Packed by double blister	PCS	R450,48
THIHAST12101		1/2" Insulated hexagon socket	1/2" Insulated hexagon socket 1000V, VDE/GS Certification Size: 10mm Manufactured according to EN60900 Material: CR-V Packed by blister card	PCS	R127,81
THIHAST12121		1/2" Insulated hexagon socket	1/2" Insulated hexagon socket 1000V, VDE/GS Certification Size: 12mm Manufactured according to EN60900 Material: CR-V Packed by blister card	PCS	R127,81
THIHAST12131		1/2" Insulated hexagon socket	1/2" Insulated hexagon socket 1000V, VDE/GS Certification Size: 13mm Manufactured according to EN60900 Material: CR-V Packed by blister card	PCS	R127,81

THIHAST12161		1/2" Insulated hexagon socket	1/2" Insulated hexagon socket 1000V,VDE/GS Certification Size:16mm Manufactured according to EN60900 Material: CR-V Packed by blister card	PCS	R137,71
THIHAST12171		1/2" Insulated hexagon socket	1/2" Insulated hexagon socket 1000V,VDE/GS Certification Size:17mm Manufactured according to EN60900 Material: CR-V Packed by blister card	PCS	R137,71
THIHAST12191		1/2" Insulated hexagon socket	1/2" Insulated hexagon socket 1000V,VDE/GS Certification Size:19mm Manufactured according to EN60900 Material: CR-V Packed by blister card	PCS	R145,36
THIDCK1851		Insulated dismantling knife	Insulated dismantling knife 1000V,VDE/GS Certification Size: 50x185mm Manufactured according to EN60900 Stainless steel blade Packed by blister card	PCS	R282,63
THUH3001		Insulated junior hacksaw	Insulated junior hacksaw 1000V,VDE/GS Certification Manufactured according to EN60900 Packed by paper card	PCS	R320,88
THT250FL1206		12 Pcs Flexible shaft screwdriver set	12 Pcs Flexible shaft screwdriver set Include: 1Pcs Flexible shaft handle 1Pcs 4-6mm(25mm)bits adaptor 10Pcs 6.35X25mm screwdriver bits: SL5,SL6,SL7,PH1,PH2,PH3,T10,T15,T20,T25 Packed by half double blister	PCS	R70,92
TPHSK0401		4 Pcs pick and hook set	New design plastic box 4 Pcs screwdriver set Include: Product List:1Pcs Full Hook1Pcs 45-degree1Pcs 90-degree1Pcs Straight PickPacked by plastic box	SET	R58,51
TACSD30186		24 Pcs T-handle wrench screwdriver set	24PCS T-handle wrench screwdriver set Include: 15pcs 6.35x25MM CR-V screwdriver bit: SL3,SL4,SL5,SL6,PH0,PH1,PH2,PH3,PZ1,PZ2,T15,T20,H4,H5,H 6 1PC 5X100MM bit holder with strong magnetic 1PC T-handle Ratchet wrench 1PC 4-6mm(25mm)adaptor 6PC 1/4" socket: 5,6,7,8,9,10 Packed by plastic box	SET	R103,51
TACSD30556		55 Pcs screwdriver bits set	55 Pcs screwdriver set Include : 21Pcs 6.35X25mm screwdriver bits : SL4 SL5 SL6 PH1 PH2 PH2 PH3 PZ1 PZ2 PZ3 T10 T15 T20 T25 T30 T40 H3 H4 H5 H6 20Pcs 4X28mm precision screwdriver bits : SL1.5 SL2 SL2.5 SL3 PH000 PH00 PH0 PH1 T6 T7 T8 T9 T10 T15 T20 H1.5 H2.0 H2.5 H3.0 H4.0 1Pcs 4-6mm(25mm)bits adaptor 9Pcs 1/4"X20.5mm socket:4mm 5mm 6mm 7mm 8mm 9mm 10mm 11mm 12mm 1Pcs 4X60mm bits holder 1Pcs 6.35X50mm bits holder 1Pcs Unique design ratchet handle 1Pcs Unique design handle Packed by plastic box	SET	R225,01
THT250P50321		32 Pcs precision screwdriver set	32PCS precision screwdriver set 1Pcs Unique design handle 1Pcs 4X60mm bits holder 30PCS 4X28mm bits : SL1.5,SL2,SL2.5,SL3,SL3.5,SL4,PH000,PH00,PH0,PH1,T4,T5,T6 T7,T8,T9,T10,T15,T20,H0.9,H1.3,H1.5,H2,H2.5,H3,H4,Y2,U2, 6,Five Star0.8. Five Star1.2 Five Star0.8. Five Star1.2 is suitable for iPhone and iPad Packed by plastic box	SET	R95,85










TKTTSK0512	 <p>51PCS/SET</p>	51 Pcs telecom tools set	<p>51 Pcs Telecom Tools set 220-240V~50/60Hz Include : 1 Pcs Digital Multimeter(Alkaline battery included) 1 Pcs 8" Adjustable wrench 1 Pcs 6" Long nose plier 1 Pcs 6" Diagonal cutting pliers 1 Pcs 7" Combination plier 1 Pcs 6" Wire stripper 8 Pcs Hex key set (2-2.5-3-4-5-6-7-8) 3 Pcs Slotted screwdriver SL3x75mm, SL5.5x 100mm, SL6.5x 150mm 3 Pcs Phillips screwdriver PH0x75mm, PH1x 100mm, PH2x 150mm 1 Pcs Snap-off blade knife 1 Pcs Vacuum desoldering pump 1 Pcs Mini Claw hammer 1 Pcs 3M Steel measuring tape 1 Pcs 40W Electric soldering iron 1 Pcs Electric soldering iron support 1 Pcs Test pencil 140mm 1 Pcs Flashlight</p>	SET	R1 813,57
THKTHP90096		9pcs handtools set	<p>9pcs handtools set Include : 1pcs 3mx16mm steel measuring tape 1pcs PH1 5x100mm phillips screwdriver 1pcs SL5.5 5x100mm slotted screwdriver 1pcs 8" adjustable wrench 1pcs 6" long nose plier 1pcs 7" combination plier 1pcs Snap-off blade knife 1pcs 190mm Screwdriver Tester 1pcs 8oz Mini claw hammer Packed by canvas bag</p>	SET	R462,19
THT191005		Straight jaw plier	<p>Cr-V Size:10" HRC52-HRC60 Nickel plated Packed by half double blister</p>	PCS	#N/A
THT191002		Straight jaw plier	<p>Carbon Steel Size:10" Same function as THT191005 HRC38"-HRC48" Nickel plated Packed by half double blister</p>	PCS	R86,99
TAC273651		Socket Adaptor	<p>3pcs/set 1/4", 3/8", 1/2" Shank:1/4" Hex Material:50B V30 Length I:65mm(1/4", 3/8") Length II:73mm(1/2") Packed by slide card</p>	SET	R39,33
THEB12101		1/2" Extension bar	<p>1/2" Extension bar Length:10"(250mm) Material:50BV30 Heat treatment,chromed plated Packed by plastic hanger</p>	PCS	R90,71
THTFX12151		1/2" Flexible handle	<p>1/2" Flexible handle Length:15"(375mm) Material:50BV30 Heat treatment,chromed plated Packed by plastic hanger</p>	PCS	R173,97
THT106126		Ratchet wrench	<p>Size:1/2" 45T Length:260mm Material : Cr-V+CrMo Packed by plastic hanger</p>	PCS	R196,25
THTST12083L		1/2" Deep hexagonal socket	<p>1/2" Deep Dr.6pt.socket,8MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	PCS	R34,15
THTST12103L		1/2" Deep hexagonal socket	<p>1/2" Deep Dr.6pt.socket,10MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	PCS	R34,71

<p>INDUSTRIAL</p> <p>THTST12113L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,11MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R34,71</p>
<p>INDUSTRIAL</p> <p>THTST12123L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,12MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R34,71</p>
<p>INDUSTRIAL</p> <p>THTST12133L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,13MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R34,71</p>
<p>INDUSTRIAL</p> <p>THTST12143L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,14MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R34,71</p>
<p>INDUSTRIAL</p> <p>THTST12153L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,15MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R34,71</p>
<p>INDUSTRIAL</p> <p>THTST12163L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,16MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R34,71</p>
<p>INDUSTRIAL</p> <p>THTST12173L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,17MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R34,71</p>
<p>INDUSTRIAL</p> <p>THTST12183L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,18MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R37,91</p>
<p>INDUSTRIAL</p> <p>THTST12193L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,19MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R37,91</p>
<p>INDUSTRIAL</p> <p>THTST12203L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,20MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R41,11</p>
<p>INDUSTRIAL</p> <p>THTST12213L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,21MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R41,11</p>
<p>INDUSTRIAL</p> <p>THTST12223L</p>		<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,22MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R45,88</p>









<p>INDUSTRIAL THTST12243L</p>	 <p>24mm Cr-V 1/2" 6 pt</p>	<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,24MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R52,28</p>
<p>INDUSTRIAL THTST12273L</p>	 <p>27mm Cr-V 1/2" 6 pt</p>	<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,27MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R67,23</p>
<p>INDUSTRIAL THTST12303L</p>	 <p>30mm Cr-V 1/2" 6 pt</p>	<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,30MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R80,03</p>
<p>INDUSTRIAL THTST12323L</p>	 <p>32mm Cr-V 1/2" 6 pt</p>	<p>1/2" Deep hexagonal socket</p>	<p>1/2" Deep Dr.6pt.socket,32MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger</p>	<p>PCS</p>	<p>R86,99</p>
<p>TCSPA081</p>		<p>Combination spanner</p>	<p>Size:8mm Length:121mm Material:Cr-V Chrome plated,matt finish Packed by paper card</p>	<p>PCS</p>	<p>R16,56</p>
<p>TCSPA101</p>		<p>Combination spanner</p>	<p>Size:10mm Length:141mm Material:Cr-V Chrome plated,matt finish Packed by paper card</p>	<p>PCS</p>	<p>R20,20</p>
<p>TCSPA131</p>		<p>Combination spanner</p>	<p>Size:13mm Length:172mm Material:Cr-V Chrome plated,matt finish Packed by paper card</p>	<p>PCS</p>	<p>R24,35</p>
<p>TCSPA171</p>		<p>Combination spanner</p>	<p>Size:17mm Length:211mm Material:Cr-V Chrome plated,matt finish Packed by paper card</p>	<p>PCS</p>	<p>R32,09</p>
<p>TCSPA191</p>		<p>Combination spanner</p>	<p>Size:19mm Length:231mm Material:Cr-V Chrome plated,matt finish Packed by paper card</p>	<p>PCS</p>	<p>R36,77</p>
<p>THT10309328</p>		<p>Bent wrench</p>	<p>1 PCS double open end wrench, 9-14mm,15-22mm 1 PCS single open end wrench, 23-32mm Chrome plated TPR two color handle Packed by sliding card</p>	<p>SET</p>	<p>R137,15</p>
<p>THT1010123</p>	 <p>300mm(12") 0-35mm C45</p>	<p>Adjustable wrench</p>	<p>Length:300mm(12") Adjustable clamp size:0-35mm Packed by paper card</p>	<p>PCS</p>	<p>R151,21</p>
<p>THT101083</p>	 <p>200mm(8") 0-24mm C45</p>	<p>Adjustable wrench</p>	<p>Length:200mm(8") Adjustable clamp size:0-24mm Packed by paper card</p>	<p>PCS</p>	<p>R77,39</p>

THT1022121		12Pcs combination spanner set	12pcs combination spanner set Size:6-24mm 6mm,8mm,10mm,11mm, 12mm,13mm,14mm,15mm,17mm,19mm,22mm,24mm Fine polished Packed by carvas bag	SET	R432,03
THT102486		Offset ring spanner set	8pcs offset ring spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm 12x13mm,14x15mm,16x17mm,18x19mm, 20x22mm Fine polished Packed by plastic hanger	SET	R273,17
THT102R086		8 Pcs ratchet spanner set	8pcs Ratchet Spanner Set High quality Cr-Mo Ratchet Size:8-19mm 8mm,10mm,12mm,13mm,14mm,15mm,17mm,19mm Fine polished ,CR-V Packed by plastic Hanger	SET	R530,79
THT1061826		Hex key	8pcs hex key(Pocket) Size : 2mm, 2.5mm,3mm,4mm,5mm,6mm,7mm,8mm. Material : Cr-V Heat treatment and chrome plate Packed by plastic hanger	SET	R59,07
THT106191		Hex key	9pcs hex key set Material : Cr-V Size : 1.5-10mm Long arm Heat treatment and chrome plate Packed by double blister	SET	R70,92
THT106291		Ball point hex key	9pcs ball point hex key set Material : Cr-V Size : 1.5-10mm Long arm Heat treatment and chrome plate Packed by double blister	SET	R95,85
THT106392		Torx key	9pcs torx key set Material : Cr-V Size : T10-T50 Long arm Heat treatment and chrome plate Packed by double blister	SET	R91,81
THHW80826		8 Pcs T-handle ball point hex wrench set	8 Pcs T-handle ball point hex wrench set Size : 2X75,2.5X75,3X100,4X100,5X150,6X150,8X200,10X200 Material : Cr-V. Heat treatment and chrome plate Brand exclusive shelf Packed by double blister	SET	R234,01
THHW80836		8 Pcs T-handle torx wrench set	8 Pcs T-handle torx wrench set Size : T10X75,T15X75,T20X100,T25X100,T30X150,T40X150,T45X200,T50X200 Material : Cr-V. Heat treatment and chrome platePacked by double blister Brand exclusive shelf Packed by double blister	SET	R235,37
THT114041		4 Pcs circlip pliers set	4 Pcs circlip plier set 2 Pcs of 180°,2 pcs of 90° Size:7"/180mm Carbon steel Packed by double blister	SET	R245,72
THPTW200N2		Torque wrench	Size : 1/2" Length:500mm Torque Range : 40-200N.m Tolerance of torque ±4% Material : CRV+CrMo Easy torque-adjusting design Packed by BMC	PCS	R2 328,93
THT141121		12Pcs 1/2" socket set	12PCS 1/2" Socket set Include : 10pcs socket:10,11,12,13,14,15,17,19,21,24mm 1pcs 1/2" 45T quick release ratchet handle 1pcs 5" extension bar 50BV30 High quality CrV steel Chromed plated Packed by plastic hanger	SET	R442,84

THTRC40231	 SAVE ENERGY 50% Torque x 2	Rapid cross wrench	Size : 16" With 4 pcs 1/2" Socket:17mm 19mm 21mm 23mm Drop forged and chrome plate Cross save power design provides extra leverage and torque Packed by leather bag	SET	R370,37
THT10821		Hydraulic floor jack	2Ton Min. height: 140mm Max. height: 340mm Travel:200mm Net weight : 8.5kg Packed by color box	PCS	R926,63
THT10834	 80mm Low Profile Fast lifting Dual pump	Hydraulic floor jack	3Ton Fast lifting ,dual pump Min. height: 85mm Max. height: 515mm Travel: 430mm Net weight : 32kg Packed by carton box	PCS	R3 876,60
THT301251	 710mm 2500 KG 2200mm 560mm	Hand pallet truck	Capacity Q : 2500kg Min.fork height:85mm Max.fork height:200mm Steering wheel:φ200*50mm Steering wheel material : polyurethane Load roller tandem:φ80*70mm Fork size:550*1150mm Distance between forks : 230mm packed by plywood case	PCS	R7 497,57
THU50201	 2Ton 2PCS/Pair	Jack stand	2pcs/pair 2Ton Min. height: 250mm Max. height:380mm Net weight : 4.7kg Large saddle,more stable Packed by color box	PAIR	R489,19
TLK32202	 Same quality as Yale	Heavy duty brass padlock	Size : 20mm Material:brass Weight:40g With 3 pcs brass keys Packed by double blister	PCS	R38,84
TLK32302	 Same quality as Yale	Heavy duty brass padlock	Size : 30mm Material:brass Weight:84g With 3 pcs brass keys Packed by double blister	PCS	R70,92
TLK32402	 Same quality as Yale	Heavy duty brass padlock	Size:40mm Material:brass Weight:142g With 3pcs brass keys Packed by double blister	PCS	R97,28
TLK32502	 Same quality as Yale	Heavy duty brass padlock	Size : 50mm Material:brass Weight:270g With 3 pcs brass keys Packed by double blister	PCS	R152,56
TLK32602	 Same quality as Yale	Heavy duty brass padlock	Size:60mm Material:brass Weight:385g With 3 pcs brass keys Packed by double blister	PCS	R189,67
TLK32703	 Same quality as Yale	Heavy duty brass block padlock	Size : 70mm Material:brass Weight:411g With 3 pcs brass keys Packed by double blister	PCS	R232,21
THT683606		Putty trowel	Size:60mm With Aluminum head end Stainless steel Heat treatment Fine polished Double color plastic handle Packed by label	PCS	R41,40

THT811223081		Cylinder brush 8 in 1 set (Inner wall and outer wall)	Suitable for inner wall and outer wall 1pcs 230mm(9") 7mm roller cover 3pcs 230mm(9") 12mm roller cover 1pcs 230mm(9") 18mm roller cover 1pcs 230mm(9") cylinder brush bracket 1pcs 25mm(1") Unique design paint brush 1pcs Unique design paint tray Paint tray size:435*300*75mm Packed by shrink	SET	R213,76
THT84046		Paint brush (plastic handle covered rubber)	Size : 4"(100mm) Bristle length: 70mm Thickness: 22mm High quality bristles Packed by color sleeve	PCS	R112,96
THT8414091		9 Pcs paint brush set	9pcs paint brush set 3pcs 1" 2pcs 1.5" 2pcs 2.0" 1pcs 3.0" 1pcs 4.0" Wooden handle Packed by double blister	SET	R153,91
THT8592T		Telescoping cylinder brush	Material:Micro fibre Size:230mm/9" Fibre height:12mm Suitable for inner wall Mini length:44mm Max length:820mm With 1pcs roller cover With 4pcs assistant shank 8mm central shank With 3 parts telescoping aluminum tube Packed by plastic bag	PCS	R135,47
TGT250105		Gasoline pressure washer	Pump Type:3-Piston Axial cam Pump-Aluminium Max Output:5.0HP Max. Pressure:214Bar (3100PSI) Flow Rate:8.7L/min (2.3GPM) Engine Type :OHV 4-stroke Displacement :208CC Starting System :Recoil Engine Speed :3600RPM Fuel volume :3.6L Oil Volume :0.6L Fuel Type :Unleaded Gasoline 1 Pcs metal lance 1 Pcs metal gun 7.6 m pressure hose Three nozzles Packed by carton box	PCS	R6 864,84
TGT141181		Gasoline lawn mower	Zongshen brand engine(The best one in China) Displacement:141cc Rated power:3.0Kw(4HP) Rated speed :2600rpm Drive type:Hand push 4 stroke engine Cutting height:25-75mm(7 positions) Cutting width:460mm(18") Catchervolume:60L Deck material:steel Wheel size:6"/8" Packed by carton box	PCS	R4 266,67
TP5434421		Gasoline grass trimmer and bush cutter	Displacement:42.7cc Rated power:1.25Kw(2HP) Max speed : 9000rpm Max cutting path:420mm Spool liner:2.4mmx4m Blade diameter:255mm(3teeth) Fuel tank capacity:1200ml Powerful 2-stroke motor With 2 function:trimmer and cutter Air cooled engine,single cylinder With Line spool TGTLS2545 Bush cutter blade TGTBCB95 Packed by color box	PCS	R2 471,57
TGTFB15		Folding bucket	Product specification: 15L/250*320mm Material: metal handle /EVA non-slip handle 1200D Oxford /PVC waterproof coating Temperature range: 0 °C to 65 °C Packed by Label	PCS	R173,31
THT15308		Pruning Shear	Size:9"/205mm With high quality blade With heat treatment aluminum handle with soft TPR grip Pack by paper card	PCS	R119,23
THT1516201		Hedge shear	Length:22"(550mm) Material:55H carbon steel Heat treatment blade Packed by label	PCS	R129,11
THT1527201		Lopper	Length:27"(690mm) Max cutting diameter:18mm Material:55H carbon steel Heat treatment blade Blade painted teflon Packed by Label	PCS	R130,24

THT1578033		3 Pcs garden shears set	<p>3pcs garden shears set Include: 1pcs 200MM/8" Pruning Shear 1pcs 550mm/22" Hedge shear 1pcs 690mm/27" Lopper Heat treatment blade Packed by Paper card</p>	SET	R304,91
THTA1527406		Telescopic lopper	<p>Aluminum telescopic tube Max cutting diameter:40mm Length:650-850mm Gear bypass design Cutting easier and with less effort Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by Paper hanger</p>	PCS	R404,01
THT5113006		Pruning saw	<p>Size:12"/300mm Material : SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) Fast cut and long life Same as STANLEY quality level Packed by color sleeve</p>	PCS	R124,93
THFSW18026		Folding saw	<p>Size:7"/180mm Material : 65Mn 7TPI Triple teeth(Precision ground teeth 3 edges) Fast cut Packed by Sliding card</p>	PCS	R63,76
THEPS25281		Extendable pole saw & pruner	<p>Max cutting diameter:25mm Steel telescopic tube length:2.4m Two parts total length:2.8m SK5 saw blade and triple teeth 2.7m nylon strings with 1.2mm diameter Double wheels design Heat treatment blade Blade painted teflon Packed by half double blister</p>	PCS	R366,05
THFTF38		Fork	<p>length:320mm Unique design patent handle Width:80mm Thickness:2.5mm Material:carbon steel Packed by paper card</p>	PCS	R54,36
THFTR1008		Garden rake	<p>length : 270mm Unique design patent handle Width:82mm Main rod:8.0mm Material:carbon steel Packed by paper card</p>	PCS	R54,36
THFTT88		Trowel	<p>length:340mm Unique design patent handle Width:85mm Thickness:1.5mm Material:carbon steel Packed by paper card</p>	PCS	R54,36
THGT979K		Garden rake	<p>length:290mm Unique design patent handle Fork Width:75mm Main rod:8.0mm Material:carbon steel Packed by paper card</p>	PCS	R54,36
THPH2001		1/2" PVC hose	<p>1/2"*20m PVC water hose PVC Opaque light duty hose Bursting value : 300psi Pull test value : 880N Packed by paper hanger</p>	PCS	R347,27
THW5030301		3 Pcs hose quick connectors set	<p>3pcs Hose quick connectors set With 1pcs 1/2" plastic hose quick connector with water stop With 1pcs 1/2" plastic hose quick connector With 1pcs 1/2" tap Adaptor with 3/4" tap adaptor Packed by paper hanger</p>	PCS	R33,16
THPS13601		Plastic auto gear sprinkler	<p>Plastic Auto Gear sprinkler head 3/4" tool adaptor 3 Pin plastic spike With 360° rotary function Dimension : 38*17.4*6.4cm Material Breakdown: ABS+PP Packed by paper hanger</p>	PCS	R165,17

THWSK0201		2 Pcs watering kit	<p>2PCS/SET NOZZLE COMBO 1pcs Adjustable 3-Way Plastic Trigger Nozzle+3/4" Tool Adaptor High-Impact resistant ABS plastic body with TPR TPR insulated comfortable soft grip 1pcs 17" 6-pattern adjustable angle water wand +3/4" tool adaptor comfortable soft grip on/off toggle switch Electrolytic bright surface of aluminum tube 6patterns:full, shower jet cone flat mist Nylon lever</p>	SET	R187,20
THZATN1031		Metal trigger nozzle	<p>3-Way Adjustable Rear Trigger Metal nozzle 3/4" tool adaptor Comfortable soft grip Material Breakdown: TPR+ABS+Aluminium alloy+Zinc alloy Dimension : 15*3.59*17.5cm Packed by paper hanger</p>	PCS	R182,64
TSP303L.39		Rain boots	<p>Size: 39 Material: 100% New PVC Height: 20cm High level oil, acid, alkali resistance 100% Waterproof Gloss face Packed by poly bag</p>	PAIR	R137,80
TSP303L.40		Rain boots	<p>Size: 40 Material: 100% New PVC Height: 20cm High level oil, acid, alkali resistance 100% Waterproof Gloss face Packed by poly bag</p>	PAIR	R137,80
TSP303L.41		Rain boots	<p>Size: 41 Material: 100% New PVC Height: 20cm High level oil, acid, alkali resistance 100% Waterproof Gloss face Packed by poly bag</p>	PAIR	R137,80
TSP303L.42		Rain boots	<p>Size: 42 Material: 100% New PVC Height: 20cm High level oil, acid, alkali resistance 100% Waterproof Gloss face Packed by poly bag</p>	PAIR	R137,80
TSP303L.43		Rain boots	<p>Size: 43 Material: 100% New PVC Height: 20cm High level oil, acid, alkali resistance 100% Waterproof Gloss face Packed by poly bag</p>	PAIR	R137,80
THLAD01081		Double side ladder	<p>Steps: 2X8steps Material: aluminium Open size:553x1380x1932mm Close Size:553x208 x2042mm Step Rise: 252mm Max.Load: 150KGS Surface finish: oxidation packed by poly bag</p>	PCS	R1 982,40











ALL PRICING EXCL.VAT
EXCL DELIVERY